


SPEED CONTROLLERS

>METRIC SYSTEM

meter-out control

SC elbow
swivel rotating type




MODEL	ØD	T (Thread)	E	L MIN	L MAX	A	B	H	ØP
SC 04-M5	4	M5*P0.8	26.1	29.5	31	4	15	8	11
SC 04-01	4	PT1/8	28.7	35.4	41.3	9	15	12	11
SC 04-02	4	PT1/4	33.1	42.6	47.5	11.6	15	14	11
SC 06-M5	6	M5*P0.8	26.4	29.5	31	4	15	8	13
SC 06-01	6	PT1/8	29.1	35.4	41.3	9	15	12	13
SC 06-02	6	PT1/4	34	42.6	47.5	11.6	15	14	13
SO 06-03	6	PT3/8	39.6	48	53	12.5	15	19	13
SC 08-01	8	PT1/8	32.4	35.4	41.3	9	18	12	14.4
SC 08-02	8	PT1/4	37.3	42.6	47.5	11.6	18	14	14.4
SC 08-03	8	PT3/8	40	48	53	12.5	18	19	14.4
SC 08-04	8	PT1/2	46.6	53.5	61	15.6	18	24	14.4
SC 10-01	10	PT1/8	37	35.4	41.3	9	22	12	18.4
SC 10-02	10	PT1/4	41	42.6	47.5	11.6	22	14	18.4
SC 10-03	10	PT3/8	43.3	46	53	12.5	22	19	18.4
SC 10-04	10	PT1/2	49	53.5	61	15.6	22	24	18.4
SC 12-02	12	PT1/4	42	42.6	47.5	11.6	22	14	21
SC 12-03	12	PT3/8	45.9	48	53	12.5	22	19	21
SC 12-04	12	PT1/2	49	53.5	61	16.6	22	24	21

SPEED CONTROLLERS

>INCH SYSTEM

meter-out control

SC elbow
swivel rotating type




MODEL	ØD	T (Thread)	L MIN	L MAX	E	A	B	ØP	H
SC 1/8-UNF	1/8	UNF	27.2	30.2	21.5	3.6	15	7.6	5/16
SC 5/32-UNF	5/32	UNF10/32	27.2	30.2	25.1	3.6	15	11	5/16
SC 5/32-N01	5/32	NPT1/8	34.9	40.1	30.5	8.0	15	11	7/16
SC 5/32-N02	5/32	NPT1/4	40.0	45.7	34.5	10.0	15	11	19/32
SC 3/16-UNF	3/16	UNF10/32	27.2	30.2	26.6	3.6	15	13	5/16
SC 3/16-N01	3/16	NPT1/8	34.9	40.1	31.4	8.0	15	13	7/16
SC 3/16-N02	3/16	NPT1/4	40.0	45.7	35.3	10.0	15	13	19/32
SC 3/16-N03	3/16	NPT3/8	46.7	55.0	39.1	11.0	15	13	3/4
SC 1/4-UNF	1/4	UNF10/32	27.2	30.2	28.7	3.6	15	13	5/16
SC 1/4-N01	1/4	NPT1/8	34.9	40.1	32.0	8.0	15	13	7/16
SC 1/4-N02	1/4	NPT1/4	40.0	45.7	35.9	10.0	15	13	19/32
SC 1/4-N03	1/4	NPT3/8	46.7	55.0	39.7	11.0	15	13	3/4
SC 5/16-N01	5/16	NPT1/8	34.9	40.1	33.0	8.0	18	14.4	7/16
SC 5/16-N02	5/16	NPT1/4	40.0	45.7	36.8	10.0	18	14.4	19/32
SC 5/16-N03	5/16	NPT3/8	46.7	55.0	40.1	11.0	18	14.4	3/4
SC 5/16-N04	5/16	NPT1/2	53.0	60.2	45.8	14.0	18	14.4	15/16
SC 3/8-N02	3/8	NPT1/4	40.0	45.7	37.5	10.0	18.7	18.4	19/32
SC 3/8-N03	3/8	NPT3/8	46.7	55.0	42.1	11.0	18.7	18.4	3/4
SC 3/8-N04	3/8	NPT1/2	53.0	60.2	47.3	14.0	18.7	18.4	15/16
SC 1/2-N03	1/2	NPT3/8	46.7	55.0	45.1	11.0	22	21	3/4
SC 1/2-N04	1/2	NPT1/2	53.0	60.2	50.5	14.0	22	21	15/16

SPEED CONTROLLERS / G TYPE

> METRIC SYSTEM, BSPP, WITH INTEGRAL O-RING SEAL

SC elbow
swivel rotating type



MODEL	ØD	T (Thread)	L MIN	L MAX	E	A	B	H	ØP
SC 04-G01	4	G1/8	28.7	35.4	41.3	9	15	12	11
SC 04-G02	4	G1/4	33.1	42.6	47.5	11.6	15	14	11
SC 06-G01	6	G1/8	29.1	35.4	41.3	9	15	12	13
SC 06-G02	6	G1/4	34	42.6	47.5	11.6	15	14	13
SC 06-G03	6	G3/8	39.6	48	53	12.5	15	19	13
SC 08-G01	8	G1/8	32.4	35.4	41.3	9	18	12	14.4
SC 08-G02	8	G1/4	37.3	42.6	47.5	11.6	18	14	14.4
SC 08-G03	8	G3/8	40	48	53	12.5	18	19	14.4
SC 08-G04	8	G1/2	46.6	53.5	61	15.6	18	24	14.4
SC 10-G01	10	G1/8	37	35.4	41.3	9	22	12	18.4
SC 10-G02	10	G1/4	41	42.6	47.5	11.6	22	14	18.4
SC 10-G03	10	G3/8	43.3	48	53	12.5	22	19	18.4
SC 10-G04	10	G1/2	49	53.5	61	15.6	22	24	18.4
SC 12-G02	12	G1/4	42	42.6	47.5	11.6	22	14	21
SC 12-G03	12	G3/8	45.9	48	53	12.5	22	19	21
SC 12-G04	12	G1/2	49	53.5	61	15.6	22	24	21